

University of Mosul
College of Nursing



Family Caregivers Burden and Coping Strategies for Patient With Schizophrenia in Mosul City

Lara Kifah Noori Al-Mashhadani

M.Sc. Thesis

In

Nursing Sciences

Supervised By

Dr. Safeya Adeeb Ebrahim

Lecturer

2020 A.D.(September)

1442A.H.(Safar)

Abstract

Background: The study summarized the important role of the family in caring for a schizophrenic patient. As well as the burdens faced by the family. And coping strategies for dealing with the patient to reduce these burdens.

Objective: The objectives of the present study are to identify burden and coping strategies in family caregivers of schizophrenic patients.

Methodology: A cross-sectional, descriptive study was done on 105 family caregivers of schizophrenic patients, the study was carried out from 15th October 2019 till 30th July 2020. The data were collected through the use of the Caregiver Burden Scale and Coping Strategies Scale through the interview with relatives of the patient. This study was conducted in the psychiatry consultant and a psychiatric ward in Ibn Sina Teaching Hospital in Mosul city.

Results: The mean age of the caregivers (26-36) years. Most of the caregivers were male. Caregivers reported their family burden the overall total score is (55), which means a moderate to severe burden according to the caregiver burden scale(41-60), which represents (74.3%) of the burdens.

Conclusion: The study concluded the mean of burden was moderate to severe. There were significant differences between females and males; females had a higher subjective burden and males had a higher objective burden.

Recommendation: The study recommended psychiatric nursing intervention should be focused on the need of the caregivers and an emphasis placed on community care for mentally ill patients as well as family intervention.

Keywords: Caregivers burden, Coping strategies, Schizophrenia.



جامعة الموصل
كلية التمريض

أعباء واستراتيجيات التكيف لأفراد الاسرة المعيلين لمرضى الفصام في مدينة الموصل

لارا كفاح نوري المشهداني

رسالة ماجستير
علوم في التمريض

بإشراف
د. صفية أديب إبراهيم
مدرس

٢٠٢٠ ميلادي

١٤٤٢ هجري

أالخلاصة

خلفية الدراسة: لخصت الدراسة دور الأسرة المهم في رعاية مريض الفصام. وكذلك الأعباء التي تتحملها الأسرة. واستراتيجيات التعامل مع المريض لتخفيف هذه الأعباء.

اهداف الدراسة: تتمثل أهداف هذه الدراسة في تحديد العبء واستراتيجيات التأقلم لدى مقدمي الرعاية الأسرية لمرضى الفصام.

منهجية الدراسة: تم إجراء دراسة مقطعية وصفية على 105 من مقدمي الرعاية الأسرية لمرضى الفصام ، وأجريت الدراسة من 15 أكتوبر 2019 حتى 30 يوليو 2020. تم جمع البيانات من خلال استخدام مقياس عبء مقدم الرعاية ومقياس استراتيجيات المواجهة من خلال المقابلة مع أقارب المريض. أجريت هذه الدراسة في استشاري الطب النفسي ورددات الطب النفسي في مستشفى ابن سينا التعليمي في مدينة الموصل.

النتائج: متوسط عمر مقدمي الرعاية (26-36) سنة. كان معظم مقدمي الرعاية من الذكور. أبلغ مقدمو الرعاية عن عبء أسرهم الإجمالي الكلي هو (55) ، مما يعني عبئاً متوسطاً إلى شديد وفقاً لمقياس عبء مقدم الرعاية (41-60) ، والذي يمثل (74.3%) من الأعباء.

الاستنتاجات: خلصت الدراسة إلى أن متوسط العبء كان معتدلاً إلى شديد. كانت هناك فروق ذات دلالة إحصائية بين الإناث والذكور. كان للإناث عبء شخصي أعلى وكان للذكور عبء موضوعي أعلى.

التوصيات: أوصت الدراسة بضرورة تركيز التدخل التمريضي النفسي على حاجة مقدمي الرعاية والتركيز على الرعاية المجتمعية للمرضى النفسيين بالإضافة إلى التدخل الأسري.

الكلمات المفتاحية: عبء مقدمي الرعاية، استراتيجيات المواجهة، الفصام.